

# Castrol Produktübersicht „Alles auf einen Blick“

## Motorenöle für PKW EDGE

Produktname	ACEA <sup>1</sup>	API <sup>1</sup>	MB-Freigabe <sup>2</sup>	VW <sup>2</sup>	BMW <sup>2</sup>	Porsche <sup>2</sup>	Opel/GM <sup>2</sup>	Ford <sup>2</sup>	Fiat <sup>1</sup>	Renault <sup>2</sup>	Sonstige/ Empfehlungen	Bemerkungen	Bulk	Minibulk	1.000 Ltr.	208 Ltr.	60 Ltr.	20 Ltr.	5 Ltr.	4 Ltr.	1 Ltr.
																			VPE 4	VPE 4	VPE 12
EDGE 0W-20 C5	C5/C6	SP ILSAC GF-6	229.71				dexos1® Gen3 OV 0401547-A20	Meets WSS-M2C947-A Meets WSS-M2C947-B1 Meets WSS-M2C962-A1	Meets 9.55535-CR1 Meets 9.55535-GSX		Meets Chrysler MS 6395 • Jaguar Land Rover engine oil specification STJLR.03.5006			2B003C 🇩🇪🇫🇷		15CC97 🇩🇪🇫🇷	15CC98 🇩🇪🇫🇷	15EE43 🇩🇪🇫🇷	15F6EB 🇩🇪🇫🇷	15F6E9 🇩🇪🇫🇷	15F6E6 🇩🇪🇫🇷
EDGE 0W-20 LL IV	C5/C6		229.71 229.72	508 00 509 00	Longlife-17 FE+	C20		Meets WSS-M2C956-A1								15B1B6 🇩🇪🇫🇷	15B1B5 🇩🇪🇫🇷	15B1B4 🇩🇪🇫🇷	15F615 🇩🇪🇫🇷	15F612 🇩🇪🇫🇷	15F610 🇩🇪🇫🇷
EDGE 0W-20 V	C5										Volvo VCC RBS0-2AE					15DA97 🇩🇪🇫🇷	15DA98 🇩🇪🇫🇷	15DA9A 🇩🇪🇫🇷	15F709 🇩🇪🇫🇷	15F708 🇩🇪🇫🇷	15F706 🇩🇪🇫🇷
EDGE 0W-30	C2/C3	SP	229.31 229.51 226.5		Longlife-04 Longlife-19FE		OV 0401547-D30 OV 0401547-G30			RN 0700 RN 0710				2B0055 🇩🇪🇫🇷		1533F5 🇩🇪🇫🇷	1533F4 🇩🇪🇫🇷	1533F6 🇩🇪🇫🇷	15F642 🇩🇪🇫🇷	15F640 🇩🇪🇫🇷	15F63B 🇩🇪🇫🇷
EDGE 0W-30 A3/B4	A3/B3 A3/B4	SL/CF	229.3 229.5	502 00 505 00																	15F698 🇩🇪🇫🇷
EDGE 0W-30 A5/B5	A1/B1 A5/B5	SL/CF										Volvo 95200377				1531B6 🇩🇪🇫🇷		1531B7 🇩🇪🇫🇷		15F6A5 🇩🇪🇫🇷	15F6A4 🇩🇪🇫🇷
EDGE 0W-30 LL	C3		229.31 229.51 229.52	504 00 507 00	Longlife-04	C30						Suitable for use in the following specifications: MB 229.52	2180B0 🇩🇪🇫🇷	2B0086 🇩🇪🇫🇷		15F9BB 🇩🇪🇫🇷	15F9BC 🇩🇪🇫🇷	15F9BA 🇩🇪🇫🇷	15FEFC 🇩🇪🇫🇷		15FEFB 🇩🇪🇫🇷
EDGE 0W-40	C3	SP	229.31 229.51		Longlife-04				Meets 9.55535-S2	RN 0700 RN 0710						1534AC 🇩🇪🇫🇷				15F713 🇩🇪🇫🇷	15F712 🇩🇪🇫🇷
EDGE 0W-40 A3/B4	A3/B4	SP	229.5	502 00 505 00	Longlife-01	A40		Meets WSS-M2C937-A		RN 0700 RN 0710	Castrol sichert die uneingeschränkte Eignung des Produkts bei folgenden Spezifikationen zu: MB 229.3			2B005B 🇩🇪🇫🇷		15336B 🇩🇪🇫🇷	15336C 🇩🇪🇫🇷	15336A 🇩🇪🇫🇷	15F6B7 🇩🇪🇫🇷	15F6B5 🇩🇪🇫🇷	15F6B4 🇩🇪🇫🇷
EDGE 0W-40 R										RN 17 RSA									15F73A 🇩🇪🇫🇷		15F739 🇩🇪🇫🇷

<sup>1</sup> Spezifikation

<sup>2</sup> Freigabe

# Castrol Produktübersicht „Alles auf einen Blick“

## Motorenöle für PKW EDGE

Produktname	ACEA <sup>1</sup>	API <sup>1</sup>	MB-Freigabe <sup>2</sup>	VW <sup>2</sup>	BMW <sup>2</sup>	Porsche <sup>2</sup>	Opel/GM <sup>2</sup>	Ford <sup>2</sup>	Fiat <sup>1</sup>	Renault <sup>2</sup>	Sonstige/ Empfehlungen	Bemerkungen	Bulk	Minibulk	1.000 Ltr.	208 Ltr.	60 Ltr.	20 Ltr.	5 Ltr.	4 Ltr.	1 Ltr.	
																			VPE 4	VPE 4	VPE 12	
EDGE 5W-30 A5/B5	A1/B1 A5/B5	SN/CF ILSAC GF-4						Meets WSS- M2C913-C			Jaguar Land Rover engine oil specification STJLR.03.5003							15BAE9 🇩🇪🇨🇪	15F685 🇩🇪🇨🇪		15F684 🇩🇪🇨🇪	
EDGE 5W-30 C1	C1										Jaguar Land Rover STJLR.03.5005					15B946 🇩🇪🇨🇪	15B945 🇩🇪🇨🇪	15B944 🇩🇪🇨🇪	15F827 🇩🇪🇨🇪		15F826 🇩🇪🇨🇪	
EDGE 5W-30 C3	C3	SN/CF	229.31 229.51	505 00 505 01			dexos2®			RN 0700 RN 0710			217B37 🇩🇪🇨🇪	2B004C 🇩🇪🇨🇪		15531A 🇩🇪🇨🇪	15530B 🇩🇪🇨🇪	15DE44 🇩🇪🇨🇪	15F7EC 🇩🇪🇨🇪	15F7ED 🇩🇪🇨🇪	15F7EF 🇩🇪🇨🇪	
EDGE LL 5W-30	C3		229.31 229.51	504 00 507 00	Longlife- 04	C30							2B004B 🇩🇪🇨🇪		15664F 🇩🇪🇨🇪	15665C 🇩🇪🇨🇪	15664C 🇩🇪🇨🇪	15F7E7 🇩🇪🇨🇪	15F7E5 🇩🇪🇨🇪	15F7DA 🇩🇪🇨🇪		
EDGE 5W-30 M	C3	SN PLUS	229.31 229.51 229.52		Longlife- 04								217F4D 🇩🇪🇨🇪	2B0030 🇩🇪🇨🇪	15C44E 🇩🇪🇨🇪	15B676 🇩🇪🇨🇪	15BC8F 🇩🇪🇨🇪	15C44F 🇩🇪🇨🇪	15F6DC 🇩🇪🇨🇪	15F6DB 🇩🇪🇨🇪	15F6DA 🇩🇪🇨🇪	
EDGE 5W-40	C3	SN/CF	229.31 229.51 226.5	505 00 505 01			dexos2®	Meets WSS- M2C917-A	Meets 9.55535- S2	RN 0700 RN 0710						1535FC 🇩🇪🇨🇪	1535FB 🇩🇪🇨🇪	1535FD 🇩🇪🇨🇪	15F7D7 🇩🇪🇨🇪	15F7D6 🇩🇪🇨🇪	15F7D5 🇩🇪🇨🇪	
EDGE 5W-40 A3/B4	A3/B3	SP	229.5	502 00 505 00	Longlife- 01	A40				RN 0700 RN 0710	Castrol sichert die uneingeschränkte Eignung des Produkts bei folgenden Spezifikationen zu: MB 226.5/229.3		2B0061 🇩🇪🇨🇪			1535AB 🇩🇪🇨🇪		15C4AC 🇩🇪🇨🇪	15F719 🇩🇪🇨🇪	15F718 🇩🇪	15F716 🇩🇪🇨🇪	
EDGE 5W-40 M	C3	SN		511 00	Longlife- 04	C40			Meets 9.55535- S2							15D3AD 🇩🇪🇨🇪	15D3AE 🇩🇪🇨🇪	15D3AC 🇩🇪🇨🇪	15F710 🇩🇪🇨🇪		15F70F 🇩🇪🇨🇪	
EDGE TURBO DIESEL 5W-40	C3	SN/CF	229.51 229.31 226.5	505 00 505 01		A40	dexos2®	Meets WSS- M2C917-A	Meets 9.55535- S2	RN 0700 RN 0710						1535B0 🇩🇪🇨🇪	1535B2 🇩🇪🇨🇪	1535B1 🇩🇪🇨🇪	15F81B 🇩🇪🇨🇪	15F819 🇩🇪🇨🇪	15F816 🇩🇪🇨🇪	
EDGE 5W-50 S		SN						Meets WSS- M2C931-C													15F987 🇩🇪🇨🇪	
EDGE 10W-60	A3/B3 A3/B4	SN/CF		501 01 505 00	Freige- geben für BMW M- Modelle												1595DA 🇩🇪🇨🇪	1595CF 🇩🇪🇨🇪	1595DB 🇩🇪🇨🇪	15F636 🇩🇪	15F632 🇩🇪	15F62C 🇩🇪🇨🇪

<sup>1</sup> Spezifikation

<sup>2</sup> Freigabe

# Castrol Produktübersicht „Alles auf einen Blick“

## Motorenöle für PKW MAGNATEC

Produktname	ACEA <sup>1</sup>	API <sup>1</sup>	MB-Freigabe <sup>2</sup>	VW <sup>2</sup>	BMW <sup>2</sup>	Opel/GM <sup>2</sup>	Ford <sup>2</sup>	Fiat <sup>1</sup>	Renault <sup>2</sup>	Sonstige	Bulk	Minibulk	208 Ltr.	60 Ltr.	20 Ltr.	5 Ltr.	4 Ltr.	1 Ltr.
																VPE 4	VPE 4	VPE 12
MAGNATEC 0W-20 D							Meets WSS-M2C952-A1							15F5E3 🇩🇪🇫🇷🇮🇹		15F5E4 🇩🇪🇫🇷🇮🇹		15F5E5 🇩🇪🇫🇷🇮🇹
MAGNATEC 0W-30 C2	C2									PSA B71 2302/ B71 2312	2181FD 🇩🇪🇫🇷🇮🇹	2B007F 🇩🇪🇫🇷🇮🇹	15F6BA 🇩🇪🇫🇷🇮🇹	15F6BB 🇩🇪🇫🇷🇮🇹	15F6BC 🇩🇪🇫🇷🇮🇹	15F6BD 🇩🇪🇫🇷🇮🇹	15F6BE 🇩🇪🇫🇷🇮🇹	15F6BF 🇩🇪🇫🇷🇮🇹
MAGNATEC 0W-30 D	C2	SN					Meets WSS-M2C950-A			VWC 53035			15F677 🇩🇪🇫🇷🇮🇹	15F678 🇩🇪🇫🇷🇮🇹	15F679 🇩🇪🇫🇷🇮🇹	15F67A 🇩🇪🇫🇷🇮🇹	15F67B 🇩🇪	15F67C 🇩🇪🇫🇷🇮🇹
MAGNATEC 0W-30 GS1/DS1	C2	SP					Meets 9.55535-DS1 Meets 9.55535-GS1						15F02D 🇩🇪🇫🇷🇮🇹	15F02E 🇩🇪🇫🇷🇮🇹		15F6F3 🇩🇪🇫🇷🇮🇹		15F6F4 🇩🇪🇫🇷🇮🇹
MAGNATEC 0W-20 E							Meets WSS-M2C954-A1						15FD0B 🇩🇪🇫🇷🇮🇹	15FD10 🇩🇪🇫🇷🇮🇹	15FD0A 🇩🇪🇫🇷🇮🇹	15FD0E 🇩🇪🇫🇷🇮🇹		15FD09 🇩🇪🇫🇷🇮🇹
MAGNATEC 0W-20 FE										PSA B71 2010		2B008E 🇩🇪	1608A4 🇩🇪🇫🇷🇮🇹	1608A5 🇩🇪🇫🇷🇮🇹	1608A3 🇩🇪🇫🇷🇮🇹	1608A7 🇩🇪🇫🇷🇮🇹		1608A6 🇩🇪🇫🇷🇮🇹
MAGNATEC 0W-20 GSX/DSX	C5/C6							Meets 9.55535-GSX/DSX					1609DD 🇩🇪🇫🇷🇮🇹	1609DE 🇩🇪🇫🇷🇮🇹		1609EA 🇩🇪🇫🇷🇮🇹		1609DF 🇩🇪🇫🇷🇮🇹
MAGNATEC 5W-20 E	C5	SN					Meets WSS-M2C948-B			ILSAC GF-5			15F9C3 🇩🇪🇫🇷🇮🇹	15F9E2 🇩🇪🇫🇷🇮🇹	15F9C2 🇩🇪🇫🇷🇮🇹	15F9E5 🇩🇪	15F9CA 🇩🇪🇫🇷🇮🇹	15F9C7 🇩🇪🇫🇷🇮🇹
MAGNATEC 5W-30 A5	A1/B1 A5/B5	SN ILSAC GF-5					Meets WSS-M2C913-C Meets WSS-M2C913-D				21822C 🇩🇪🇫🇷🇮🇹	2B0084 🇩🇪🇫🇷🇮🇹	15F906 🇩🇪🇫🇷🇮🇹	15F90A 🇩🇪🇫🇷🇮🇹	15F905 🇩🇪🇫🇷🇮🇹	15F909 🇩🇪🇫🇷🇮🇹	15F908 🇩🇪🇫🇷🇮🇹	15F903 🇩🇪🇫🇷🇮🇹
MAGNATEC 5W-30 A3/B4	A3/B4	SL	226.5 229.5	502 00 505 00					RN 0700 RN 0710			2B0082 🇩🇪	15F8BA 🇩🇪🇫🇷🇮🇹	15F8BD 🇩🇪🇫🇷🇮🇹		15F8BB 🇩🇪🇫🇷🇮🇹		15F67D 🇩🇪🇫🇷🇮🇹
MAGNATEC 5W-30 C2	C2									PSA B71 2290		2B0080 🇩🇪🇫🇷🇮🇹	15F6C1 🇩🇪🇫🇷🇮🇹	15F6C2 🇩🇪🇫🇷🇮🇹	15F6C3 🇩🇪🇫🇷🇮🇹	15F6C4 🇩🇪🇫🇷🇮🇹	15F6C5 🇩🇪🇫🇷🇮🇹	15F6C8 🇩🇪🇫🇷🇮🇹

<sup>1</sup> Spezifikation

<sup>2</sup> Freigabe

# Castrol Produktübersicht „Alles auf einen Blick“

## Motorenöle für PKW MAGNATEC

Produktname	ACEA <sup>1</sup>	API <sup>1</sup>	MB-Freigabe <sup>2</sup>	VW <sup>2</sup>	BMW <sup>2</sup>	Opel/GM <sup>2</sup>	Ford <sup>2</sup>	Fiat <sup>1</sup>	Renault <sup>2</sup>	Sonstige	Bulk	Minibulk	208 Ltr.	60 Ltr.	20 Ltr.	5 Ltr.	4 Ltr.	1 Ltr.
																VPE 4	VPE 4	VPE 12
MAGNATEC 5W-30 C3	C2/C3	SP	229.31 229.51 229.52		Longlife-04	OV 040 1547- D30 OV 040 1547- G30		Meets 9.55535-S3				2B0085 🇩🇪🇩🇪	15F922 🇩🇪🇩🇪	15F923 🇩🇪🇩🇪	15F924 🇩🇪🇩🇪	15F927 🇩🇪🇩🇪	15F928 🇩🇪🇩🇪	15F929 🇩🇪🇩🇪
MAGNATEC 5W-30 DX		SP ILSAC GF-6				dexos1® Gen3	Meets WSS-M2C946-A Meets WSS-M2C946-B1 Meets WSS-M2C961-A1						15C327 🇩🇪🇩🇪	15C326 🇩🇪🇩🇪	15C325 🇩🇪🇩🇪	15F6E1 🇩🇪🇩🇪		15F6DD 🇩🇪🇩🇪
MAGNATEC 5W-30 S1	C2	SN						Meets 9.55535-S1					15F6CA 🇩🇪🇩🇪	15F6CB 🇩🇪🇩🇪	15F6CC 🇩🇪🇩🇪	15F6CD 🇩🇪🇩🇪	15F6CE 🇩🇪🇩🇪	15F6CF 🇩🇪🇩🇪
MAGNATEC 5W-40 A3/B4	A3/B4	SN	226.5 229.3	502 00 505 00					RN 0700 RN 0710		217FB8 🇩🇪🇩🇪	2B0025 🇩🇪🇩🇪	15C9CE 🇩🇪🇩🇪	15C9CF 🇩🇪🇩🇪		15F64B 🇩🇪🇩🇪		15F647 🇩🇪🇩🇪
MAGNATEC 5W-40 C3	C3	SN	229.31		Longlife-04		Meets 9.55535-S2		RN 0700 RN 0710			2B005C 🇩🇪🇩🇪	15C9C5 🇩🇪🇩🇪	15C9C6 🇩🇪🇩🇪	15C9C4 🇩🇪🇩🇪	15F625 🇩🇪🇩🇪	15F624 🇩🇪🇩🇪	15F621 🇩🇪🇩🇪
MAGNATEC 5W-40 DPF	C3	SN/CF	229.31 229.51	505 00 505 01		OV 040 1547 - D40	Meets WSS-M2C917-A	Meets 9.55535-S2					15F90F 🇩🇪🇩🇪	15F915 🇩🇪🇩🇪	15F90E 🇩🇪🇩🇪	15F913 🇩🇪🇩🇪	15F911 🇩🇪🇩🇪	15F90C 🇩🇪🇩🇪
MAGNATEC 10W-40 A/B	A3/B4	SP	226.5 229.3	501 01 505 00			Meets 9.55535-D2		RN0700 RN0710				15F09D 🇩🇪🇩🇪	15F09E 🇩🇪🇩🇪	15F09C 🇩🇪🇩🇪	15F7D2 🇩🇪🇩🇪	15F7CE 🇩🇪🇩🇪	15F7CA 🇩🇪🇩🇪
MAGNATEC HYBRID 0W-16		SP ILSAC GF-6B										2B007C 🇩🇪	15F2C3 🇩🇪🇩🇪			15F6FA 🇩🇪🇩🇪		15F6F9 🇩🇪🇩🇪
MAGNATEC HYBRID 0W-20		SP ILSAC GF-6										2B007A 🇩🇪	15F249 🇩🇪🇩🇪			15F873 🇩🇪🇩🇪		15F872 🇩🇪🇩🇪
MAGNATEC HYBRID 5W-30		SP ILSAC GF-6										2B007B 🇩🇪	15F2C0 🇩🇪🇩🇪			15F701 🇩🇪🇩🇪		15F700 🇩🇪🇩🇪

<sup>1</sup> Spezifikation

<sup>2</sup> Freigabe



# Castrol Produktübersicht „Alles auf einen Blick“

## Motorenöle für PKW GTX

Produktname	ACEA <sup>1</sup>	API <sup>1</sup>	MB-Freigabe <sup>2</sup>	VW <sup>2</sup>	BMW <sup>2</sup>	Porsche <sup>2</sup>	Opel/GM <sup>2</sup>	Ford <sup>2</sup>	Fiat <sup>1</sup>	Renault <sup>2</sup>	Sonstige	Bemerkungen	Bulk	Minibulk	208 Ltr.	60 Ltr.	20 Ltr.	5 Ltr.	4 Ltr.	1 Ltr.	
																		VPE 4	VPE 4	VPE 12	
GTX 0W-16 AN2022		SP								AN2022									160A26		160A25
GTX 0W-20 RN17 FE	C5									RN17FE					160A0F	160A11		160A10		160A0E	
GTX 5W-30 A5/B5	A5/B5	SL ILSAC GF-4						Meets WSS-M2C913-A Meets WSS-M2C913-B Meets WSS-M2C913-C Meets WSS-M2C913-D							15BE04	15C367	15BE05				
GTX 5W-30 C2	C2										PSA B71 2290				15BDF9	15C366	15BDFA				
GTX 5W-30 C3	C3	SP	229.31 229.51	504 00 507 00	Longlife-04	C30	OV 0401547-D30 OV 0401547-G30			RN 0700 RN 0710				2180C4	2B002E	15DC03	15DAFF	15DAFE			
GTX 5W-30 C4	C4		226.51							RN 0720				217C88	2B0066	15900E	15C788	15A26A	15F64F	15F64E	15F64C
GTX 5W-30 MP	C3	SN/CF	229.31				dexos2®									15BA58	15C33C	15BA57			
GTX 5W-30 RN17	C3									RN 17				217FDE	2B0065	15CC33	15CC32	15CC31	15F6E5		15F6E4
GTX 5W-40 A3/B4	A3/B4	SP	229.3	502 00 505 00	Longlife-01					RN 0700 RN 0710				21797B	2B004F	15A552	15A551		15F687		15F686
GTX 5W-40 MV	C3	SN/CF	229.31 229.51 226.5				dexos2®		Meets 9.55535-S2	RN 0700 RN 0710						15DED6	15DED7	15DED5			
GTX10W-40 A3/B4	A3/B4	SN	226.5 229.3	501 01 505 00					Meets 9.55535-D2 Meets 9.55535-G2	RN 0700 RN 0710				2B0083	15F8F9	15F8FA	15F8FB	15F8FC	15F8FD	15F8FE	
GTX 15W-40 A3/B3	A3/B3	SN	229.1	501 01 505 00					Meets 9.55535-D2						14C196	14BBF6		15F629	15F628	15F627	



<sup>1</sup> Spezifikation

<sup>2</sup> Freigabe



# Castrol Produktübersicht „Alles auf einen Blick“

## Motorenöle für PKW ON EV

Produktname	Anwendung	5 Ltr.
ON EV Transmission Fluid D1	Always U5 Buick Velite Chery Tiggo Kunpeng e plus, Jetour X90 Dong Feng Voyah – Trockenmotoren Enovate ME5 GWM Ora - Trockenmotor Hozon Neta Maxus EUNIQ 7 (Brennstoffzelle) Maxus (LDV) eDeliver 9 Mercedes Benz EQS, EQE+ Mini eMini (2022) Rimac Nevera - Frontmotor Pininfarina Battista - Frontmotor SGM Velite Weltmeister EX5 EX6 Vinfast VF e34, VF e35, VF e36	VPE 4  15F218 
ON EV Transmission Fluid D2	BYD EV Modelle mit trockenem E-Motor Hycan Z03 Jaguar I-Pace Lixiang One Nio ES6, ES8, EC6, ET7, Polestar 2 Rimac Nevera (Heckmotor) Rivian R1T, R1S Pininfarina Battista (Heckmotor) Tata Tigor, Limber Volvo XC40 Recharge, C40 Recharge Weltmeister W6 Xpeng P7, G9	15F21A 

# Castrol Produktübersicht „Alles auf einen Blick“

## Motorenöle Nutzfahrzeuge

Produktname	ACEA <sup>1</sup>	API <sup>1</sup>	MB-Freigabe <sup>2</sup>	MAN <sup>2</sup>	Volvo <sup>2</sup>	Scania <sup>2</sup>	Ford <sup>2</sup>	Renault <sup>2</sup>	DAF <sup>2</sup>	Deutz <sup>2</sup>	MTU Ölkategorie <sup>2</sup>	Cummins <sup>2</sup>	Caterpillar <sup>2</sup>	JASO <sup>1</sup>	MACK <sup>2</sup>	Sonstige/ Empfehlungen	Bulk	Minibulk	1.000 Ltr.	208 Ltr.	60 Ltr.	20 Ltr.	5 Ltr.	
																							VPE 4	
VECTON LONG DRAIN 5W-30 FA-4/F8		FA-4	228.61									CES 20087				DDC DFS 93K223	217FF4 🇩🇪				15D0AA 🇩🇪🇨🇦			
VECTON LONG DRAIN 10W-30 E6/E9	E6, E7, E9	CJ-4	228.51	M 3477 M 3271	VDS-4.5 VDS 4 CNG			RVI RLD-3	Meets DAF requirements	DQC IV-10 LA	3.1	CES 20081	ECF-3	DH-2	EOS-4.5 EO-O Premium Plus				15B381 🇩🇪	15B384 🇩🇪🇨🇦		15B382 🇩🇪🇨🇦		
VECTON LONG DRAIN 10W-40 E7	E4, E7	CF	228.5	M 3277	VDS-3	LDF-3		RLD-2	Meets DAF requirements	DQC III-10	3				EO-N		217AFF 🇩🇪	2B0071 🇩🇪	15B34F 🇩🇪	15B355 🇩🇪		15B351 🇩🇪		
VECTON LONG DRAIN 10W-40 E6/E9	E6, E7, E9	CJ-4	228.51	M 3477 M 3271-1	VDS-4.5 VDS-4 CNG			RLD-3	Meets DAF Euro VI requirements	DQC IV-10 LA	3.1	CES 20081	ECF-3	DH-2	EOS-4.5 EO-O Premium Plus	Für Lastkraftwagen von Iveco, die ACEA E6, E7, E9 benötigen	217AFD 🇩🇪🇨🇦	2B0057 🇩🇪🇨🇦	15B349 🇩🇪🇨🇦	15B34A 🇩🇪🇨🇦		15B346 🇩🇪	15F3D1 🇩🇪🇨🇦	
VECTON 15W-40 CK-4/E9	E9	CK-4	228.31		VDS-4.5			RVI RLD-3		DQC III-10 LA	2.1	CES 20086	ECF-3	DH-2	EOS-4.5	DDC DFS 93K222					15C302 🇩🇪🇨🇦			
CRB MONOGRADE 10W CF		CF																				15BB35 🇩🇪🇨🇦	15BB34 🇩🇪🇨🇦	
CRB MONOGRADE 30 CF		CF																				15B9F8 🇩🇪🇨🇦	15B9F7 🇩🇪	
CRB MONOGRADE 40 CF/CF-2		CF CF-2 SF																					15BB45 🇩🇪	
CRB MULTI 15W-40 CI-4/E7	E7	CI-4/ SL	228.3	M 3275-1	VDS-3			RVI RLD-2		DQC III-10	2	CES 20077 CES 20078	ECF-2		EO-M Plus EO-N	DDC Power Guard 93K215	217EC2 🇩🇪🇨🇦	2B002F 🇩🇪🇨🇦	15BA19 🇩🇪	15EA3A 🇩🇪🇨🇦		15BA1A 🇩🇪🇨🇦		
CRB TURBOMAX 10W-40 E4/E7	E4/E7	CF	228.5	M 3277	VDS-3			RVI RLD-2		DQC III-18	3	CES 20077 CES 20078		DH-1	EO-N	DDC Power Guard 93K215	217EC3 🇩🇪🇨🇦	2B0049 🇩🇪🇨🇦		15BA27 🇩🇪🇨🇦		15BA25 🇩🇪🇨🇦		

<sup>1</sup> Spezifikation

<sup>2</sup> Freigabe



# Castrol Produktübersicht „Alles auf einen Blick“

## Motorenöle Nutzfahrzeuge

Produktname	ACEA <sup>1</sup>	API <sup>1</sup>	MB-Freigabe <sup>2</sup>	MAN <sup>2</sup>	Volvo <sup>2</sup>	Scania <sup>2</sup>	Ford <sup>2</sup>	Renault <sup>2</sup>	DAF <sup>2</sup>	Deutz <sup>2</sup>	MTU Ölkategorie <sup>2</sup>	Cummins <sup>2</sup>	Caterpillar <sup>2</sup>	JASO <sup>1</sup>	MACK <sup>2</sup>	Sonstige/ Empfehlungen	Bulk	Minibulk	1.000 Ltr.	208 Ltr.	60 Ltr.	20 Ltr.	5 Ltr.	
TRANSMAX AGRI MP PLUS 10W-30		GL-4 CF-4 SF														MF M1145 · ZF TE-ML 06B*, 07B · Meets MF M1139, MF M1144 · JD J27 · Ford M2C-159B; Suitable for use where JD 20C, Ford M2C-134D and 86B, Case MS 1207 are specified * Bitte aktuelle Hinweise in der ZF-Schmierstoffliste beachten.				15BF39 🇩🇪 🇨🇭		15BF37 🇩🇪 🇨🇭		VPE 4
TRANSMAX AGRI MP PLUS 10W-40	E2	CF-4 SF GL-4														MF - M1145; ZF - TE-ML 06B(*), 07B; Meets MF - M1144, Sperry Vickers/ Eaton M2950S, Sperry Vickers/Eaton I0280-S, Sauer Sunstrand. Danfoss: Hydrostatis Trans Fluid; May be used where MF - M1139, Case MAT 3525, FNHA-2-C-201.00, FNH 82009201, NH 410B, John Deere J20C, J27 and Ford M2C-134D, 86B, 159B are specified	217EEC 🇩🇪 🇨🇭	2B0046 🇩🇪 🇨🇭		15BD87 🇩🇪 🇨🇭 🇨🇭	15BD86 🇩🇪 🇨🇭	15BD85 🇩🇪 🇨🇭 🇨🇭		

<sup>1</sup> Spezifikation  
<sup>2</sup> Freigabe





# Castrol Produktübersicht „Alles auf einen Blick“

## Motorenöle Nutzfahrzeuge

Produktname	ACEA <sup>1</sup>	API <sup>1</sup>	MB-Freigabe <sup>2</sup>	MAN <sup>2</sup>	Volvo <sup>2</sup>	Scania <sup>2</sup>	Ford <sup>2</sup>	Renault <sup>2</sup>	DAF <sup>2</sup>	Deutz <sup>2</sup>	MTU Ölkategorie <sup>2</sup>	Cummins <sup>2</sup>	Caterpillar <sup>2</sup>	JASO <sup>1</sup>	MACK <sup>2</sup>	Sonstige/ Empfehlungen	Bulk	Minibulk	1.000 Ltr.	208 Ltr.	60 Ltr.	20 Ltr.	5 Ltr.	
																							VPE 4	
TRANSMAX AGRI MP 15W-40		CE SF GL-4														ZF TE-ML 06B(*), 07B • meets - JDM J27, MFM1144, Vickers M-2950-S • Recommended for use where applications require: Ford ESN-M2C-134D, ESN-M2C-159B, ESN-M2C-86B, MF M1139 • Suitable for use where applications require: Case MAT 3525 • Sperry Vickers, Eaton I-280-S, Sauer Sunstrand, Danfoss: Hydrostatic Trans Fluid • John Deere JDM J20C, New Holland FNHA-2-C-201.00, FNH 82009202, NH 410B				15BF80 🇩🇪 🇨🇭 🇸🇪			15BF7F 🇩🇪 🇨🇭 🇸🇪	
TRANSMAX AGRI TRANS PLUS 80W		GL-4														MF - M1145 • Volvo Transmission Oil 97303:053 (WB 101) • ZF TE-ML 03E, 05F, 17E, 21F • Meets Ford ESN-M2C-134D, JD 20C, Valtra G2-08 • Suitable for use where Case 1207, Case 1209, MAT 3505, MAT 3525, MAT 3540, NH410B or Ford M2C86-B are specified. • Suitable for use in S-Matic CVT and RC-shift transmissions.		2B0048 🇩🇪 🇨🇭		15BF79 🇩🇪 🇨🇭 🇸🇪		15BF7B 🇩🇪 🇨🇭 🇸🇪		
TRANSMAX AGRI TRANS AS 80W		GL-4														Meets - Ford ESN-M2C-86B, MF M1135 • Can be used where NH 420A is specified.				15EED7 🇩🇪 🇨🇭		15C163 🇩🇪 🇨🇭		

<sup>1</sup> Spezifikation

<sup>2</sup> Freigabe



# Castrol Produktübersicht „Alles auf einen Blick“

## Getriebeöle PKW und NFZ

Produktname	API <sup>1</sup>	ZF TE-ML <sup>2</sup>	Voith <sup>2</sup>	MB-Freigabe <sup>2</sup>	VW <sup>2</sup>	MAN <sup>2</sup>	Volvo <sup>2</sup>	JASO <sup>1</sup>	Scania <sup>2</sup>	Sonstige/ Empfehlungen	Bulk	Minibulk	1.000 Ltr.	208 Ltr.	60 Ltr.	20 Ltr.	1 Ltr.	0,5 Ltr.							
TRANS-MAX ATF Z		04D, 11B, 14C, 16M, 16S, 20C, 25C	H55.6336xx	236.81	501 60	MAN Typ 339 V2/Z3/Z12		1A		Suitable for use where the following are called for: Toyota T, T II, T III, T IV, WS; Nissan Matic D, J, S; Mitsubishi SP II, IIM, III, PA, J3, SP IV; Mazda ATF M-III, M-V, JWS 3317, FZ; Subaru F6, Red 1; Daihatsu AMMIX ATF D-III Multi, D3-SP; Suzuki AT Oil 5D06, 2384K; JWS 3314, 3317; Hyundai/Kia SP III, SP IV; Aisin Transmissions requiring JWS 3309; Honda/Acura DW 1/Z1; Isuzu (where Toyota T-IV is required); BMW, VW, Audi and Jaguar 5 speed automatic transmission and MB 4 and 5 speed automatic transmissions; BMW Oil No. 8322.9407807; Citroen Oil No. Z 000169756; Jaguar Oil No. JLM 20238, LA 2634, LT 71141; Mercedes Benz Oil No. 0019892203, MB 236.1, 236.6, 236.7, 236.9, 236.10; Peugeot Oil No. Z 000169756; Porsche Oil No. 999.917.547.00; VW/Audi TL 52162 (G 052 162); ZF Lifeguardfluid 5.	217EEA 🇩🇪								VPE 12	VPE 12					
TRANS-MAX ATF DEXRON®-VI MERCON® LV Multivehicle										Ford MERCON® LV, GM DEXRON® -VI Suitable for use where JASO 1A(03), JASO 1A LV(13) is required including: Toyota T III, T IV, WS; Mitsubishi SP II, IIM, III, IV, PA, J3; Mazda ATF M-III, M-V, MA-1, FZ; Honda/Acura DW 1/Z 1; Nissan Matic D, J, S; JWS 3314/3317/ 3309/3324; NWS 9638; Suzuki AT Oil 5D06, 2384K; Isuzu; Subaru F6, Red 1; Daihatsu; AMMIX ATF D-III Multi D3-SP; Hyundai/Kia SP III, SP IV, MB 236.12, 236.14, 236.15, 236.1; ; ATF Aisin Warner AW-1, ATF M1375.4, ARF SP IV RR, ATF SP, ATF Mercon ULV, Aisin Warner AW-2; Mercon SP; Nissan ATF D3M; ATF SP IV M; VW G 055 540; BMW 83 22 2 355 599 (ATF6); Special ATF, M-V (Type M5); BMW 83 22 2 413 477 (ATF7); GM 1940767; Elfmatic J6; Ford M2C924-A; ETL 7045E; VW G 052 990; Ford M2C949-A; LA 2634; MB 236.10; MB 236.41; MB 236.16; LT 71141; ZF Lifeguardfluid 6; AML Oil No. 4G4319A509/AA/S; Audi /VW Oil No. G 055005 A1 / A2 / A6; Bentley Oil No. PY112995PA; BMW Oil No. 8322 0142516 ; Hyundai Oil No. 040000C90SG; Jaguar Oil No. Jaguar Fluid 8432; Land Rover Oil No. TYK500050; Maserati Oil No. 231603; ZF Lifeguardfluid 8; BMW 83 22 2 289 720 (ATF3+); VW G 060 162; Jaguar Oil No. 02JDE 26444; Land Rover Oil No. LR023288; Chrysler Oil No. 68157995AA; Petronas Tutela Transmission AS8; Honda ATF-Type 3.1.: 08263-999-01HE (EU); Volvo 1161540; Chrysler ATF+4; Also suitable for use in 6, 8 and 9-speed automatics from Audi, BMW, Mini-Cooper, Jaguar, Peugeot/Citroen, Saab, Volvo, VW, Porsche. 7 and 9 speed automatics from Mercedes Benz and all vehicles where Dexron III or Mercon SP is required.															
TRANS-MAX ATF DX III Multivehicle		04D, 14A	H55.6335xx	236.9		339 Typ L1, VI, Z1	97340 97341:071			Allison TES 389; erfüllt Allison C4, Ford MERCON®, GM DEXRON®-IIIIH	217F16 🇩🇪		15D66E 🇩🇪	15D671 🇩🇪	15D673 🇩🇪	15D66F 🇩🇪	15F176 🇩🇪								

<sup>1</sup> Spezifikation

<sup>2</sup> Freigabe

# Castrol Produktübersicht „Alles auf einen Blick“

## Getriebeöle PKW und NFZ

Produktname	API <sup>1</sup>	ZF TE-ML <sup>2</sup>	Voith <sup>2</sup>	MB-Freigabe <sup>2</sup>	VW <sup>2</sup>	MAN <sup>2</sup>	Volvo <sup>2</sup>	JASO <sup>1</sup>	Scania <sup>2</sup>	Sonstige/ Empfehlungen	Bulk	Minibulk	1.000 Ltr.	208 Ltr.	60 Ltr.	20 Ltr.	1 Ltr.	0,5 Ltr.				
																	VPE 12	VPE 12				
TRANSMAX ATF Dex/Merc Multivehicle								1A(03) 1A LV(13)		Erfüllt Dexron®-IIIH, Mercon®; Ebenfalls einsetzbar bei folgenden Herstelleranforderungen: Toyota T III, T IV, WS; Mitsubishi SP II, IIM, III, IV, PA, J3; Mazda ATF M-III, M-V, FZ; Honda/Acura DW 1/Z 1; Nissan Matic D, J, S; JWS 3314/3317/ 3309; Suzuki AT Oil 5D06, 2384K; Isuzu; Subaru F6; Red 1 Daihatsu AMMIX ATF D-III Multi, D3-SP; Hyundai/Kia SP III, SP IV; • Suitable for use as Power steering fluid.					15DD25 🇪🇺🇨🇦		15F139 🇪🇺🇨🇦					
TRANSMAX CVT (HC-Synthese)										Suitable for use where the following are called for: Toyota CVT Fluid TC, FE; Nissan CVT Fluid NS-1, NS-2, NS-3 ; MMC DIA-QUEEN ATF SP-III, CVT Fluid J1, CVT Fluid J4, CVT Fluid J4+; Mazda CVTF 3320, Subaru i-CVT Fluid, i-CVT FG, Lineartronic II; Lineartronic High Torque Chain CVTF; Daihatsu AMMIX CVT Fluid DC, CVT Fluid DFE; Suzuki CVT Fluid 3320, Green 1, Green 2, CVTF TC, NS-2; Honda HCF-2 *; Hyundai/Kia SP-III, SP-CVT 1; Chrysler NS-2, CVTF+4; Mini Cooper EZL799; Ford CVT23; MB 236.20; VW/Audi TL 52180 (G 052 180), TL 52516 (G 052 516); Dex CVT , *Transmax CVT is suitable for use in all of Honda CVTs except 2001-2007 Model Honda Fit/Jazz which are equipped with Starting Clutch.									15D7AA 🇪🇺	15F14B 🇪🇺🇨🇦		
TRANSMAX DUAL					Audi / VW TL 52529 (G 052 529)					Recommended für use in: Ford WSS-M2C-936-A (Dual Clutch), Volvo, Chrysler (Europe), Mitsubishi, Peugeot using Getrag DCT, VW G 052 182; PSA Transmission Oil 9734 52; Dia Queen SSTF-1 VW, Seat, Skoda 6-speed Dual Clutch Transmission (DSG)				15DC45 🇪🇺🇨🇦	15D911 🇪🇺🇨🇦		15F1FC 🇪🇺🇨🇦					
TRANSMAX OFFROAD 10W		03C								Meets CAT TO-4 • Recommended for use in Komatsu Equipment				15EAD9 🇪🇺								
TRANSMAX OFFROAD 30		03C, 07F								Meets CAT TO-4 • Recommended for use in Komatsu Equipment	2174F1 🇪🇺	2B005D 🇪🇺		15EAD6 🇪🇺								
TRANSMAX OFFROAD 50										Erfüllt CAT TO-4; geeignet für den Einsatz in Komatsu Equipment				15F00E 🇪🇺								
TRANSMAX Axle Long Life 75W-90	GL-5	05A, 12B, 17B, 19C, 21A				342 Typ S1				BMW (Non-Limited Slip Rear Axles) According to Service Instruction 33 01 96 (149)	217EE5 🇪🇺		15D8D0 🇪🇺	15D8CE 🇪🇺🇨🇦	15D8CF 🇪🇺🇨🇦	15DB78 🇪🇺🇨🇦	15F087 🇪🇺					
TRANSMAX Limited Slip LL 75W-140	GL-5	05C, 12D, 16G, 18, 21C		235.61						Recommended for Nissan GTR limited slip axles			15D98B 🇪🇺	15D98E 🇪🇺🇨🇦	15D991 🇪🇺🇨🇦	15D98C 🇪🇺🇨🇦	15F1E4 🇪🇺🇨🇦	15F1EB 🇪🇺				

<sup>1</sup> Spezifikation

<sup>2</sup> Freigabe

# Castrol Produktübersicht „Alles auf einen Blick“

## Getriebeöle PKW

Produktname	API <sup>1</sup>	ZF TE-ML <sup>2</sup>	MB-Freigabe <sup>2</sup>	VW <sup>2</sup>	MAN <sup>2</sup>	Scania <sup>2</sup>	JASO <sup>1</sup>	Sonstige/ Empfehlungen	Bulk	Minibulk	1.000 Ltr.	208 Ltr.	60 Ltr.	20 Ltr.	4 Ltr.	1 Ltr.	0,5 Ltr.	
															VPE 4	VPE 12	VPE 12	
TRANSMAX Axle Long Life 75W-140	GL-5							STO 2:0 A				15DB83 🇩🇪	15D968 🇩🇪	15D7A1 🇩🇪		15F152 🇩🇪		
TRANSMAX Manual EP 80W	GL-4	17A	235.1						2180DE 🇩🇪			15EEDB 🇩🇪🇩🇪🇩🇪		15DDEF 🇩🇪🇩🇪🇩🇪		15F13C 🇩🇪🇩🇪		
TRANSMAX Manual EP 80W-90	GL-4	02B, 17A			341 Typ Z2				217F37 🇩🇪			15D7DD 🇩🇪	15D7DF 🇩🇪	15D7DB 🇩🇪🇩🇪		15F1F2 🇩🇪🇩🇪		
TRANSMAX Axle EPX 85W-90	GL-5	16C, 17B, 19B, 21A	235.0						21807A 🇩🇪	2B0047 🇩🇪		15D6DA 🇩🇪	15D6DC 🇩🇪🇩🇪	15DE6C 🇩🇪		15F175 🇩🇪		
TRANSMAX Limited Slip Z 85W-90	GL-5	05C, 12C, 16E, 21C							2180A4 🇩🇪			15DB82 🇩🇪🇩🇪	15DC44 🇩🇪🇩🇪	15D983 🇩🇪		15F109 🇩🇪		
TRANSMAX Manual Transaxle 75W-90	GL-4+			501 50								15DB41 🇩🇪	15D8A9 🇩🇪🇩🇪	15D6FA 🇩🇪🇩🇪		15F137 🇩🇪🇩🇪		
TRANSMAX Manual Multivehicle 75W-90	GL-4		235.72					Meets Ford WSD-M2C200-C SAE Class according to J306 pre 1998				15D810 🇩🇪	15D811 🇩🇪🇩🇪	15D80F 🇩🇪		15F16A 🇩🇪🇩🇪		
TRANSMAX DUAL Multivehicle								Suitable for use in 6 speed dual clutch transmissions from Ford, Nissan, Renault, VW group, Volvo. Suitable for use in 7 speed dual clutch transmissions from BMW, Ford, MB, Nissan, Renault, and VW group. Suitable for use where the following are called for: Ford WSS-M2C-936-A, VW/Audi TL52529 (G 052 529), VW/Audi TL52182 (G 052 182), VW/Audi TL55529 (G 055 529), Volvo 1161838, Volvo 1161839, BMW DCTF-1, DCTF-2, BMW 88 22 0 440 214, BMW 82 22 2 147 477, BMW 83 22 2 148 578, BMW 83 22 2 148 579, BMW 83 22 2 167 666, BMW MTF LT-5, MB 236.22, MB 236.21, MB 236.24, PSA 9734.S2, Pentosin FFL-3, Porsche Oil No. 999.917.080.00, Jaguar / Land Rover GX73-M1R564-AA, Mitsubishi MZ320065, Dia-Queen SSTF-1.						15EEFD 🇩🇪🇩🇪	15EEFE 🇩🇪🇩🇪	15EEFC 🇩🇪🇩🇪		
TRANSMAX Manual FE 75W	GL-4		235.73					Meets Ford WSS-M2 C200-D2				15D7E8 🇩🇪	15D7E6 🇩🇪🇩🇪			15FIDE 🇩🇪🇩🇪		
TRANSMAX Manual V 75W-80	GL-4+			Suitable for use where the following is called for: VW G 052 171, VW G 052 527, VW G 052 512, VW G 052 532, VW G 055 532				Audi TL 52532					15D96F 🇩🇪	15D7F3 🇩🇪		15F226 🇩🇪		

<sup>1</sup> Spezifikation

<sup>2</sup> Freigabe

# Castrol Produktübersicht „Alles auf einen Blick“

## Getriebeöle Nutzfahrzeuge

Produktname	API <sup>1</sup>	ZF TE-ML <sup>2</sup>	MB-Freigabe <sup>2</sup>	MAN <sup>2</sup>	Volvo <sup>2</sup>	JASO <sup>1</sup>	Scania <sup>2</sup>	Sonstige/ Empfehlungen	Bulk	1.000 Ltr.	208 Ltr.	60 Ltr.	20 Ltr.	1 Ltr.
														VPE 12
TRANSMAX Manual AT 75W-90	GL-4		235.11								15D733 🇩🇪🇨🇭		15D731 🇩🇪	
TRANSMAX Manual Z Long Life 75W-80	GL-4	01E, 02E, 16P	235.41	MAN 341 Typ Z5					217EE8 🇩🇪	15D8E1 🇩🇪	15D8DF 🇩🇪🇨🇭	15D8E0 🇩🇪	15D70A 🇩🇪🇨🇭	
TRANSMAX Manual Long Life 75W-85	GL-4		235.4		97307:045				217EE9 🇩🇪	15D8B1 🇩🇪	15D8AE 🇩🇪🇨🇭	15D8B0 🇩🇪🇨🇭	15D8AB 🇩🇪	
TRANSMAX Universal LL 75W-90	GL-4 GL-5 MT-1	02B, 05A, 12L, 12N, 16F, 17B, 19C, 21A	235.8	MAN 341 Typ Z2 MAN 342 Typ S1 MAN 341 GA1	97312		STO 1:1G, STO 2:0A FS	SAE J2360			15DD09 🇩🇪🇨🇭	15DD0C 🇩🇪🇨🇭	15DD06 🇩🇪	15F0AB 🇨🇭
TRANSMAX Universal LL 80W-90	GL-4 GL-5	02B, 05A, 12L, 12M, 16C, 17H, 19B, 21A	235.0	MAN 341 Typ Z2 MAN 342 Typ M2			STO 1:1G	Recommended for use in Hino manual transmissions and differentials	217EED 🇩🇪		15DC77 🇩🇪🇨🇭	15D8BA 🇩🇪🇨🇭	15DC78 🇩🇪	
TRANSMAX Axle EPX 80W-90	GL-5	05A, 12E, 16B, 17B, 19B, 21A		MAN 342 Typ M2							15EEDD 🇩🇪	15D766 🇩🇪🇨🇭	15D761 🇩🇪🇨🇭	15F1BA 🇩🇪
TRANSMAX Axle EPX 85W-140	GL-5	05A, 12E, 16D, 21A								15DB27 🇩🇪	15DB28 🇩🇪🇨🇭		15DB25 🇩🇪	
TRANSMAX Axle Long Drain 80W-90	GL-5	05A, 12L, 12M, 16B, 17B, 19B, 21A	235.20	MAN 342 Typ M3 MAN 341 GA1			STO 1:0				15DDDA 🇩🇪🇨🇭			

<sup>1</sup> Spezifikation

<sup>2</sup> Freigabe



# Castrol Produktübersicht „Alles auf einen Blick“

## Produkte Zweiräder

Produktname	API <sup>1</sup>	JASO <sup>1</sup>	Sonstige/ Empfehlungen	Minibulk	208 Ltr.	60 Ltr.	20 Ltr.	4 Ltr.	1 Ltr.	1 Ltr.	0,5 Ltr.	0,4 Ltr.
								VPE 4	VPE 12	VPE 6	VPE 12	VPE 12
POWER1 ULTIMATE 4T 5W-40	SN	MA-2	HC-Synthese		15FFA4 🇩🇪🇨🇦🇨🇪	15FFA5 🇩🇪🇨🇦🇨🇪		15FFA6 🇩🇪	15FFA7 🇩🇪🇨🇦🇨🇪			
POWER1 ULTIMATE 4T 10W-30	SL	MA-2	HC-Synthese		15FFE9 🇩🇪				15FFEB 🇩🇪🇨🇦			
POWER1 ULTIMATE 4T 10W-40	SN	MA-2	HC-Synthese					15FFA2 🇩🇪	15FFA3 🇩🇪			
POWER1 ULTIMATE 4T 10W-50	SN	MA-2	HC-Synthese					15FFAD 🇩🇪	15FFAE 🇩🇪🇨🇦🇨🇪			
POWER1 4T 10W-40	SN	MA-2	HC-Synthese	2B0004 🇩🇪	15043C 🇩🇪🇨🇦🇨🇪	15043B 🇩🇪🇨🇦🇨🇪	15043A 🇩🇪	15F5A1 🇩🇪	15F5A0 🇩🇪🇨🇦🇨🇪			
POWER1 4T 15W-50	SN	MA-2			15044C 🇩🇪🇨🇦🇨🇪	15044B 🇩🇪🇨🇦🇨🇪		15F589 🇩🇪	15F587 🇩🇪🇨🇦🇨🇪			
POWER1 4T 20W-50	SN	MA-2	HC-Synthese		1546DF 🇩🇪🇨🇦🇨🇪	1546DE 🇩🇪🇨🇦🇨🇪		15F57A 🇩🇪	15F578 🇩🇪🇨🇦🇨🇪			
POWER1 SCOOTER 4T 5W-40	SL	MB			1605BF 🇩🇪🇨🇦🇨🇪	1605C0 🇩🇪🇨🇦			1605C3 🇩🇪🇨🇦🇨🇪			
POWER1 ULTIMATE 2T	TC	FD	ISO-L-EGD					15FFB2 🇩🇪	15FFB3 🇩🇪🇨🇦🇨🇪			
CASTROL 2T		FB							15F651 🇩🇪🇨🇦			
POWER1 2T	TC	FD	ISO-L-EGD			154F7B 🇩🇪🇨🇦🇨🇪			15F576 🇩🇪🇨🇦🇨🇪			
POWER1 SCOOTER 2T		FD	ISO-L-EGD; teilsynthetisch						1600A1 🇩🇪🇨🇦🇨🇪			
POWER1 A747									15F555 🇩🇪🇨🇦🇨🇪			

<sup>1</sup> Spezifikation



# Castrol Produktübersicht „Alles auf einen Blick“

## Produkte Zweiräder

Produktname	API <sup>1</sup>	JASO <sup>1</sup>	Sonstige/ Empfehlungen	Minibulk	208 Ltr.	60 Ltr.	20 Ltr.	4 Ltr.	1 Ltr.	1 Ltr.	0,5 Ltr.	0,4 Ltr.
								VPE 4	VPE 12	VPE 6	VPE 12	VPE 12
FORK OIL 10W											15F1A8 🇩🇪	
FORK OIL 15W											15F1ED 🇩🇪 🇨🇭 🇦🇹	
FORK OIL 20W											15F1EC 🇩🇪 🇨🇭	
MTX 10W-40	SG								15F1BB 🇩🇪			
MTX FULL SYNTHETIC 75W-140	GL-5		vollsynthetisch						15F1F7 🇩🇪 🇨🇭 🇦🇹			
CHAIN LUBE RACING												15512A 🇩🇪
CHAIN SPRAY O-R												155C92 🇩🇪 🇨🇭 🇦🇹
FOAM AIR FILTER OIL												15513D 🇩🇪
MOTORCYCLE COOLANT									15F1CA 🇩🇪 🇨🇭 🇦🇹			
SILICON SPRAY												15516C 🇩🇪

<sup>1</sup> Spezifikation

# Castrol Produktübersicht „Alles auf einen Blick“

## Spezialitäten

Produktname	API <sup>1</sup>	Sonstige/ Empfehlungen	Bulk	Minibulk	1.000 Ltr.	208 Ltr.	60 Ltr.	20 Ltr.	5 Ltr.	1 Ltr.	0,5 Ltr.	300 ml	180 Kg	50 Kg	25 Kg	18 Kg	400g	
									VPE 4	VPE 12	VPE 15	VPE 6					VPE 12	
ENGINE SHAMPOO												15CF7C 🇩🇪🇫🇷🇮🇹						
BRAKE FLUID DOT 4		SAE J1703, SAE J1704; FMVSS 116 DOT4; ISO 4925 Klasse 4; JIS K2233							15F2CE 🇩🇪🇫🇷🇮🇹	15F2CB 🇩🇪								
REACT DOT 4 LOW TEMP		SAE J1703, SAE J1704 · FMVSS116 DOT4 · ISO 4925 Klasse 6 · JIS K2233 · VW TL 766-Z					15D8A7 🇩🇪		15F144 🇩🇪🇫🇷									
REACT PERFORMANCE DOT 4		SAE J1703, SAE J1704; FMVSS116 DOT4; ISO 4925 Klasse 4; JIS K2233					15CC78 🇩🇪🇫🇷🇮🇹		15F273 🇩🇪🇫🇷🇮🇹	15F270 🇩🇪🇫🇷🇮🇹								
REACT SRF RACING		FMVSS 116 DOT 3, DOT 4; ISO 4925 Class 4; SAE J1703, J1704; JIS K2233				15383C 🇩🇪				15F1D0 🇩🇪🇫🇷🇮🇹								
RADICOOL		ASTM D3306 · BS 6580:2010				15558F 🇩🇪		15558D 🇩🇪										
RADICOOL NF		ASTM D3306(I), ASTM D4985; BS6580:2010; JIS K2234; MAN 324 Typ NF; MTU MTL 5048; VW TL-774C (G11); MB-Freigabe 325.0; Deutz DQC CA-14				15EF51 🇩🇪🇫🇷🇮🇹	15EF54 🇩🇪🇫🇷🇮🇹											
RADICOOL PREMIX		ASTM D3306 (III), ASTM D 3306; BS6580:2010				15ED2F 🇩🇪🇫🇷				15F145 🇩🇪🇫🇷🇮🇹								
RADICOOL SF		ASTM D3306(I), ASTM D4985, ASTM D6210; BS6580:2010; JASO JIS K2234; Meets Ford WSS-M97B44-D · MAN 324 Typ SNF · MB-Freigabe 325.3 · VW-TL-774F (G12+) · DAF 74002				15EE88 🇩🇪🇫🇷	15D540 🇩🇪	15ED15 🇩🇪										
RADICOOL SF PREMIX		ASTM D3306 (III) · ASTM D4985 · ASTM D6210 · BS 6580:2010 MAN 324 TYP SNF · MB-Freigabe 326.3 · VW TL 774F (G12+) · Deutz DQC CB-14 · DAF 74002				15ECE9 🇩🇪🇫🇷	15ECEA 🇩🇪🇫🇷											
RADICOOL Si-OAT		ASTM D3306(I), ASTM D4985; BS6580:2010; JIS K2234; MAN 324 Typ Si-OAT; MB-Freigabe 235.5; VW TL-774G				15ED79 🇩🇪🇫🇷												
CLS GREASE		MB-Freigabe 264.0; MAN 283 Li-P 00/000; NLGI 00/000												15EEF4 🇩🇪🇫🇷	15EEF3 🇩🇪	15EEF2 🇩🇪🇫🇷		
HIGH TEMPERATURE GREASE		NLGI2											1503AB 🇩🇪🇫🇷	1503AC 🇩🇪		1503AA 🇩🇪🇫🇷	1503AD 🇩🇪🇫🇷	

<sup>1</sup> Spezifikation





# Castrol Produktübersicht „Alles auf einen Blick“

## Spezialitäten

Produktname	API <sup>1</sup>	Sonstige/ Empfehlungen	Bulk	Minibulk	1.000 Ltr.	208 Ltr.	60 Ltr.	20 Ltr.	5 Ltr.	1 Ltr.	0,5 Ltr.	300 ml	180 Kg	50 Kg	25 Kg	18 Kg	400g
									VPE 4	VPE 12	VPE 15	VPE 6					VPE 12
LMX LI-KOMPLEXFETT		MB-Freigabe 2651; MAN 284 Li-H2; NLGI2											14591C 🇩🇪		15EEE7 🇩🇪🇨🇦		155ED4 🇩🇪🇨🇦
MOLY GREASE																15EEDE 🇩🇪🇨🇦	
MULTIPURPOSE GREASE													15EED5 🇩🇪	1560C0 🇩🇪			
HYSPIN AWS 10		Produktpalette Castrol HYSPIN AWS erfüllt ISO-Grade HM, DIN 51524-2, Klasse HLP und die Herstelleranforderung Högglund-Denison HF-0, HF-3				15496E 🇩🇪🇨🇦		15495F 🇩🇪🇨🇦🇨🇦									
HYSPIN AWS 22		Produktpalette Castrol HYSPIN AWS erfüllt ISO-Grade HM, DIN 51524-2, Klasse HLP und die Herstelleranforderung Högglund-Denison HF-0, HF-6			143A82 🇩🇪	1514F8 🇩🇪🇨🇦		15F031 🇩🇪🇨🇦									
HYSPIN AWS 32		Produktpalette Castrol HYSPIN AWS erfüllt ISO-Grade HM, DIN 51524-2, Klasse HLP und die Herstelleranforderung Högglund-Denison HF-0, HF-8	215B3F 🇩🇪🇨🇦	2B0031 🇩🇪🇨🇦		15F01C 🇩🇪🇨🇦		15F01B 🇩🇪🇨🇦									
HYSPIN AWS 46		Produktpalette Castrol HYSPIN AWS erfüllt ISO-Grade HM, DIN 51524-2, Klasse HLP und die Herstelleranforderung Högglund-Denison HF-0, HF-11	215807 🇩🇪🇨🇦	2B005A 🇩🇪🇨🇦		15F040 🇩🇪🇨🇦	141264 🇩🇪🇨🇦🇨🇦	15F03F 🇩🇪🇨🇦🇨🇦									
HYSPIN AWS 68		Produktpalette Castrol HYSPIN AWS erfüllt ISO-Grade HM, DIN 51524-2, Klasse HLP und die Herstelleranforderung Högglund-Denison HF-0, HF-12				15F021 🇩🇪🇨🇦		15F020 🇩🇪🇨🇦									
GARDEN 2T	TC																15F1C4 🇩🇪🇨🇦
GARDEN 4T 10W-30	SL/CF																15F1BD 🇩🇪🇨🇦🇨🇦
GARDEN CHAIN OIL																	15F1C0 🇩🇪
OUTBOARD 2T		NMMA TC-W II • NMMA TC-W III															15F1BE 🇩🇪🇨🇦
OUTBOARD 4T	SL/CF																15F1BF 🇩🇪

<sup>1</sup> Spezifikation

